

Package ‘rencher’

May 9, 2026

Title Datasets from the Book ``Methods of Multivariate Analysis (3rd)''

Version 0.1.6

Description Provides the datasets in the book ``Methods of Multivariate Analysis (3rd)'', such as Table 6.27 Blood Pressure Data, for statistical analysis, especially MANOVA. The dataset names correspond to their numbering in the third edition of the book, such as table6.27. Based on the book by Rencher and Christensen (2012, ISBN:9780470178966).

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.3

Depends R (>= 4.1.0)

LazyData true

URL <https://github.com/AtefehRashidi/rencher>

BugReports <https://github.com/AtefehRashidi/rencher/issues>

NeedsCompilation no

Author Atefeh Rashidi Pour [aut, cre],
Fatemeh Naderi [aut]

Maintainer Atefeh Rashidi Pour <rashidiatefeh98@gmail.com>

Repository CRAN

Date/Publication 2026-02-16 20:20:08 UTC

Contents

table10.1	3
table13.1	3
table15.1	4
table15.13	5
table15.14	5
table15.7	6
table16.1	7
table16.13	7

table16.16	8
table16.17	9
table16.19	10
table16.8	10
table3.1	11
table3.2	12
table3.4	12
table3.5	13
table3.6	13
table3.7	14
table3.8	15
table3.9	15
table4.2	16
table5.1	16
table5.10	17
table5.3	17
table5.5	18
table5.6	19
table5.7	20
table5.8	20
table5.9	21
table6.16	22
table6.17	22
table6.18	23
table6.19	24
table6.21	24
table6.22	25
table6.23	26
table6.24	26
table6.25	27
table6.26	28
table6.27	29
table6.28	29
table6.29	30
table6.6	31
table6.8	31
table7.1	32
table7.2	33
table8.1	34
table8.3	34

table10.1

<i>Table 10.1 Chemical Reaction Data</i>
--

Description

The results of a planned experiment involving a chemical reaction are given in Table 10.1

Usage

table10.1

Format

A dataframe with 19 rows and 7 columns.

ExperimentNumber

y1 percentage of unchanged starting material

y2 percentage converted to the desired product

y3 percentage of unwanted by-product

x1 temperature

x2 concentration

x3 time

Source

The data in Table 8.3 were collected by Box and Youle (1955)

table13.1

<i>Table 13.1</i>

Description

Perception Data: Ratings on Five Adjectives for Seven People

Usage

table13.1

Format

A dataframe with 7 rows and 6 columns.

People

Kind Adjective

Intelligent Adjective

Happy Adjective

Likeable Adjective

Just Adjective

Source

The data in Table 13.1 from METHODS OF MULTIVARIATE ANALYSIS (Third Edition)

table15.1	<i>Table 15.1 City Crime Rates per 100,000 Population</i>
-----------	---

Description

Table 15.1 City Crime Rates per 100,000 Population

Usage

table15.1

Format

A dataframe with 16 rows and 8 columns.

City

Murder A type of crime

Rape A type of crime

Robbery A type of crime

Assault A type of crime

Burglary A type of crime

Larceny A type of crime

AutoTheft A type of crime

Source

The data in Table 15.1 were collected by Hartigan (1975)

Table 15.13 Air Pollution Levels in US Cities

Description

Table 15.13 Air Pollution Levels in US Cities

Usage

table15.13

Format

A dataframe with 41 rows and 8 columns.

Cities 41 US cities

y1 SO₂ content of air in micrograms per cubic meter

y2 Average annual temperature in °F

y3 Number of manufacturing enterprises employing 20 or more workers

y4 Population size (1970 census) in thousands

y5 Average annual wind speed in miles per hour

y6 Average annual precipitation in inches

y7 Average number of days with precipitation per year

Source

The data in Table 15.8 were collected by Sokal and Rohlf (1981, p. 619)

Table 15.14 Yields of Winter Wheat (kg per unit area)

Description

Table 15.14 gives the yields of winter wheat in each of the years 1970-1973 at twelve different sites in England

Usage

table15.14

Format

A dataframe with 12 rows and 5 columns.

Site twelve different sites in England

y_1970 year 1970

y_1971 year 1971

y_1972 year 1972

y_1973 year 1973

Source

The data in Table 15.14 were collected by (Hand et al. 1994, p. 31)

table15.7	<i>Table 15.7 Protein Data</i>
-----------	--------------------------------

Description

Protein consumption in twenty-five European countries for nine food groups is given in Table 15.7

Usage

table15.7

Format

A dataframe with 25 rows and 10 columns.

Country

RedMeat

WhiteMeat

Eggs

Milk

Fish

Cereals

StarchyFoods

Nuts

Fruit/Veg

Source

The data in Table 15.7 were collected by Hand et al. (1994, p. 298)

`table16.1`*Table 16.1 Airline Distances Between Ten US Cities*

Description

Table 16.1 Airline Distances Between Ten US Cities

Usage`table16.1`**Format**

A dataframe with 10 rows and 11 columns.

City**Atlanta****Chicago****Denver****Houston****LosAngeles****Miami****NewYork****SanFrancisco****Seattle****WashingtonDC****Source**

The data in Table 15.14 were collected by Kruskal and Wish (1978, pp. 7-9)

`table16.13`*Table 16.13 Do-It-Yourself Data*

Description

Table 16.13 Do-It-Yourself Data

Usage`table16.13`

Format

A dataframe with 24 rows and 7 columns.

AccommodationType Apartment, House

Work Skilled, Unskilled, Office

Tenure Rent, Own

Response Yes, No

Age_1 Up to 30

Age_2 31-45

Age_3 over 45

Source

METHODS OF MULTIVARIATE ANALYSIS (Third Edition)

table16.16

Table 16.16 Dissimilarity Matrix for World War II Politicians oliticians

Description

Two subjects assessed the degree of dissimilarity between World War II politicians.

Usage

table16.16

Format

A dataframe with 12 rows and 13 columns.

Person

Hitler

Mussolini

Churchill

Eisenhower

Stalin

Attlee

Franco

DeGaulle

MaoTse

Truman

Chamberlain

Tito

Source

Everitt 1987, Table 6.7

table16.17

Table 16.17

Description

Table 16.17 Birth and Death Months of 1281 People

Usage

table16.17

Format

A dataframe with 12 rows and 13 columns

Birth_Death Birth/Death

Jan month

Feb month

Ma month

Apr month

May month

Jun month

Jul month

Agu month

Sep month

Oct month

Nov month

Dec month

Source

Andrews and Herzberg (1985), Table 71.2

table16.19

Table 16.19 Byssinosis Data

Description

Table 16.19 Byssinosis Data

Usage

table16.19

Format

A dataframe with 48 rows and 8 columns.

Race Other, White

Smoking Non-smoker, Smoker

Gender Female, Male

Years_in_Job

SufferByssi_nosis

High_dust

Low_dust

Med_dust

Source

Andrews and Herzberg (1985, Table 34.1)

table16.8

Table 16.8 A List of 12 People and Their Categories on Four Variable

Description

Table 16.8 A List of 12 People and Their Categories on Four Variable

Usage

table16.8

Format

A dataframe with 12 rows and 5 columns.

Person 12 People

Gender Male, female

Age Young, middle aged, old

MaritalStatus Single, married

HairColor Blond, brown, black, red

Source

METHODS OF MULTIVARIATE ANALYSIS (Third Edition)

table3.1	<i>Table 3.1</i>
----------	------------------

Description

Table 3.1 Height and Weight for a Sample of 20 College-Age Males

Usage

table3.1

Format

A dataframe with 20 rows and 3 columns.

person

x

y

Source

Extracted from Table 3.1 in Rencher (3rd ed.)

table3.2

Table 3.2

Description

Table 3.2 Percentage of Republican Votes in Presidential Elections in Six Southern States for Selected Years

Usage

table3.2

Format

A dataframe with 6 rows and 6 columns.

State

y_1932

y_1936

y_1940

y_1960

y_1964

y_1968

Source

The data in Table 3.2 are from Kleiner and Hartigan (1981)

table3.4

Table 3.4

Description

Table 3.4 Calcium in Soil and Turnip Greens

Usage

table3.4

Format

A dataframe with 10 rows and 4 columns.

LocationNumber

y1

y2

y3

Source

The data set in Table 3.4 Calcium in Soil and Turnip Greens.

table3.5	<i>Table 3.5</i>
----------	------------------

Description

Table 3.5 Relative Weight, Blood Glucose, and Insulin Levels

Usage

table3.5

Format

A dataframe with 46 rows and 6 columns

PatientNumber

y1

y2

x1

x2

x3

Source

Book

table3.6	<i>Table 3.6</i>
----------	------------------

Description

Table 3.6 Response Times for Five Probe Word Positions

Usage

table3.6

Format

A dataframe with 27 rows and 6 columns.

SubjectNumber ID

y1 The variables are response times for the j _th probe word, $y_{-j,j} = 1,2,\dots, 5$

y2 The variables are response times for the j _th probe word, $y_{-j,j} = 1,2,\dots, 5$

y3 The variables are response times for the j _th probe word, $y_{-j,j} = 1,2,\dots, 5$

y4 The variables are response times for the j _th probe word, $y_{-j,j} = 1,2,\dots, 5$

y5 The variables are response times for the j _th probe word, $y_{-j,j} = 1,2,\dots, 5$

Source

Timm (1975, p. 233; 1980, p. 47)

table3.7	<i>Table 3.7</i>
----------	------------------

Description

Table 3.7 Ramus Bone Length at Four Ages for 20 Boys

Usage

table3.7

Format

A dataframe with 20 rows and 5 columns.

Individual

y1

y2

y3

y4

Source

The data in Table 3.7 (Elston and Grizzle 1962) consist of measurements of the length of the ramus bone at four different ages on each of 20 boys.

table3.8	<i>Table 3.8</i>
----------	------------------

Description

Table 3.8 Measurements on the First and Second Adult Sons in a Sample of 25 Families

Usage

table3.8

Format

A dataframe with 25 rows and 4 columns

Group First, Second

y1 Head Length

y2 Head Breath

x1 Head Length

x2 Head Breath

Source

Book

table3.9	<i>Table 3.9 Blood Glucose Measurements on Three Occasions</i>
----------	--

Description

Blood glucose measurements taken on three different occasions.

Format

A data frame with 50 rows and 6 variables:

y1 Blood glucose measurement at occasion 1

y2 Blood glucose measurement at occasion 2

y3 Blood glucose measurement at occasion 3

x1 First explanatory variable

x2 Second explanatory variable

x3 Third explanatory variable

Source

Rencher, Methods of Multivariate Analysis

table4.2	<i>Table 4.2 Table 4.2 Hematology Data</i>
----------	--

Description

Table 4.2 Table 4.2 Hematology Data

Usage

table4.2

Format

A dataframe with 51 rows and 7 columns

ObservationNumber ID

y1 hemoglobin concentration

y2 packed cell volume

y3 white blood cell count

y4 lymphocyte count

y5 neutrophil count

y6 serum lead concentration

Source

Six hematology variables were measured on 51 workers (Royston 1983)

table5.1	<i>Table 5.1</i>
----------	------------------

Description

Table 5.1 Four Psychological Test Scores on 32 Males and 32 Females

Usage

table5.1

Format

A dataframe with 64 rows and 5 columns.

Group

y1

y2

y3

y4

Source

Four psychological tests were given to 32 men and 32 women. The data are recorded in Table 5.1 (Beall 1945)

table5.10	<i>Table 5.10</i>
-----------	-------------------

Description

Table 5.10 Survival Times for Bronchus Cancer Patients and Matched Controls

Usage

table5.10

Format

A dataframe with 16 rows and 4 columns

y1 y_1, x_1 = survival time (days) from date of first hospital admission

y2 y_1, x_1 = survival time (days) from date of first hospital admission

x1 y_1, x_1 = survival time (days) from date of first hospital admission

x2 y_1, x_1 = survival time (days) from date of first hospital admission

Source

A number of patients with bronchus cancer were treated with ascorbate and compared with matched patients who received no ascorbate (Cameron and Pauling 1978)

table5.3	<i>Table 5.3</i>
----------	------------------

Description

Table 5.3 Maximum Depth of Pits and Number of Pits of Coated Pipes

Usage

table5.3

Format

A dataframe with 15 rows and 7 columns.

Location

y1

y2

x1

x2

d1

d2

Source

Extracted from Table 3.1 in Rencher (3rd ed.)

table5.5

Table 5.5

Description

Table 5.5 Four Measurements on Two Species of Flea Beetles

Usage

table5.5

Format

A dataframe with 39 rows and 6 columns.

Number**Group**

y1

y2

y3

y4

Source

Extracted from Table 3.1 in Rencher (3rd ed.)

table5.6	<i>Table 5.6</i>
----------	------------------

Description

Table 5.6 Comparison of Six Tests on Engineer Apprentices and Pilots

Usage

table5.6

Format

A dataframe with 20 rows and 12 columns.

E_y1

E_y2

E_y3

E_y3

E_y4

E_y5

P_y1

P_y2

P_y3

P_y4

P_y5

P_y6

Source

Extracted from Table 3.1 in Rencher (3rd ed.)

table5.7	<i>Table 5.7 Comparison of Carriers and Noncarriers of Muscular Dystrophy</i>
----------	---

Description

Data from a study comparing carriers and noncarriers of Duchenne muscular dystrophy

Usage

table5.7

Format

A data frame with 73 rows and 7 variables

Group Group identifier: Carrier or Noncarrier

y1 Biomarker 1 (e.g., enzyme level)

y2 Biomarker 2

y3 Biomarker 3

y4 Biomarker 4

y5 Biomarker 5

y6 Biomarker 6

Source

Andrews and Herzberg (1985), pp. 222–228. Data were collected in an attempt to find a screening procedure to detect carriers of Duchenne muscular dystrophy, a disease transmitted from female carriers to some of their male offspring

table5.8	<i>Table 5.8</i>
----------	------------------

Description

Table 5.8 Cyclical Measurements of Consumer Goods and Producer Goods

Usage

table5.8

Format

A dataframe with 19 rows and 6 columns.

Item**Group**

y1

y2

y3

y4

Source

Various aspects of economic cycles were measured for consumer goods and producer goods by Tintner (1946)

table5.9	<i>Table5.9</i>
----------	-----------------

Description

Table 5.9 Number of Words and Number of Verbs

Usage

table5.9

Format

A dataframe with 15 rows and 7 columns.

Student

y1

y2

x1

x2

d1

d2

Source

Each of 15 students wrote an informal and a formal essay Kramer (1972, p. 100)

table6.16

Table 6.16

Description

Table 6.16 Dental Measurements

Usage

table6.16

Format

A dataframe with 27 rows and 6 columns.

Sex

Subject

y_8

y_10

y_12

y_14

Source

Potthoff and Roy (1964) reported measurements in a dental study on boys and girls from ages 8 to 14. The data are given in Table 6.16

table6.17

Table 6.17 Judges' Scores on Fish Prepared by Three Methods

Description

Table 6.17 Judges' Scores on Fish Prepared by Three Methods

Usage

table6.17

Format

A dataframe with 12 rows and 12 columns

y1_1 aroma
y1_2 flavor
y1_3 texture
y1_4 moisture
y2_1 aroma
y2_2 flavor
y2_3 texture
y2_4 moisture
y3_1 aroma
y3_2 flavor
y3_3 texture
y3_4 moisture

Source

Baten, Tack, and Baeder (1958,p.8)

table6.18	<i>Table 6.18</i>
-----------	-------------------

Description

Table 6.18 Snap Bean Data

Usage

table6.18

Format

A dataframe with 60 rows and 7 columns.

S
V
ID
y1
y2
y3
y4

Source

Table 6.18 from Keuls et al. (1984)

table6.19

*Table 6.19***Description**

Table 6.19 Blood Data

Usage

table6.19

Format

A dataframe with 20 rows and 13 columns.

Subject**R1_y1****R1-y2****R1_y3****R2_y1****R2_y2****R2_y3****R3_y1****R3_y2****R3_y3****Source**

In Table 6.19, we have a comparison of four reagents (Burdick 1979)

table6.21

*Table 6.21 Table 6.21 Weights of Cork Borings (eg) in Four Directions for 28 Trees***Description**

Table 6.21 Table 6.21 Weights of Cork Borings (eg) in Four Directions for 28 Trees

Usage

table6.21

Format

A dataframe with 28 rows and 5 columns

Tree variable 1

N variable 2

E variable 3

S variable 4

W variable 5

Source

Extracted from Table 3.1 in Rencher (3rd ed)

Table 6.22 Survival Times for Cancer Patients

Description

Table 6.22 Survival Times for Cancer Patients

Usage

table6.22

Format

A dataframe with 63 rows and 7 columns

TypeofCancer 1 = stomach, 2 = bronchus, 3 = colon, 4 — rectum, 5 = bladder, 6 = kidney)

Gender (1 = male, 2 = female)

Age Age

y1 survival time (days) of patient treated with ascorbate measured from date of first hospital attendance

y2 mean survival time for the patient's 10 matched controls (untreated with ascorbate)

y3 survival time after ascorbate treatment ceased

y4 mean survival time after all treatment ceased for the patient's 10 matched controls

Source

The data in Table 6.22 were collected by Cameron and Pauling (1978)

`table6.23`*Table 6.23*

Description

Table 6.23 Weights of 13 Male Mice Measured at Successive Intervals of 3 Days over 21 Days from Birth to Weaning

Usage`table6.23`**Format**

A dataframe with 13 rows and 8 columns

Mouse variable 1

Day3 variable 2

Day6 variable 3

Day9 variable 4

Day12 variable 5

Day15 variable 6

Day18 variable 7

Day21 variable 8

Source

Table 6.23 contains the weights of 13 male mice measured every 3 days from birth to weaning. The data set was reported and analyzed by Williams and Izenman (1981) and by Izenman and Williams (1989) and has been further analyzed by Rao (1984, 1987) and by Lee (1988). Analyze as a one-sample growth curve design

`table6.24`*Table 6.24*

Description

In Table 6.24, we have measurements of proportions of albumin at four time points on three groups of trout

Usage`table6.24`

Format

A dataframe with 12 rows and 5 columns.

Group three groups of trout

Time_1 Time Point

Time_2 Time Point

Time_3 Time Point

Time_4 Time Point

Source

The data set was reported by Beauchamp and Hoel (1973)

table6.25

Weekly Gains in Weight for 27 Rats

Description

Table 6.25 contains weight gains for three groups of rats

Usage

table6.25

Format

A dataframe with 13 rows and 8 columns.

Group The groups are 1 = controls, 2 = thyroxin added to drinking water, and 3 = thiouracil added to drinking water.

Rat

y1 gain in week 1

y2 gain in week 2

y3 gain in week 3

y4 gain in week 4

Source

The data set was reported by Box (1950)

table6.26	<i>Coronary Sinus Potassium Measured at 2-Minute Intervals on Dogs</i> <i>Table 6.26 contains measurements of coronary sinus potassium at 2-minute intervals after coronary occlusion on four groups of dogs</i>
-----------	---

Description

Coronary Sinus Potassium Measured at 2-Minute Intervals on Dogs Table 6.26 contains measurements of coronary sinus potassium at 2-minute intervals after coronary occlusion on four groups of dogs

Usage

table6.26

Format

A dataframe with 36 rows and 8 columns

Group The groups are 1 = control dogs, 2 = dogs with extrinsic cardiac denervation 3 weeks prior to coronary occlusion, 3 = dogs with extrinsic cardiac denervation immediately prior to coronary occlusion, and 4 = dogs with bilateral thoracic sympathectomy and stellectomy 3 weeks prior to coronary occlusion

Time_1 variable 1

Time_3 variable 2

Time_5 variable 3

Time_7 variable 4

Time_9 variable 5

Time_11 variable 6

Time_13 variable 7

Source

The data set was reported by Grizzle and Allen (1969)

table6.27	<i>Blood Pressure Data</i>
-----------	----------------------------

Description

Table 6.27 contains blood pressure measurements at intervals after inducing a heart attack for four groups of rats

Usage

table6.27

Format

A dataframe with 31 rows and 7 columns.

Group group 1 is the controls and groups 2-4 have been exposed to halothane concentrations of .25%, .50%, 1.0%

M_1 Number of Minutes after Ligation

M_5 Number of Minutes after Ligation

M_10 Number of Minutes after Ligation

M_15 Number of Minutes after Ligation

M_30 Number of Minutes after Ligation

M_60 Number of Minutes after Ligation

Source

The data set was reported and by Crepeau et al (1985).

table6.28	<i>Plasma Inorganic Phosphate (mg/dl)</i>
-----------	---

Description

Table 6.28 compares 13 control and 20 obese patients on a glucose tolerance test using plasma inorganic phosphate

Usage

table6.28

Format

A dataframe with 33 rows and 10 columns.

Group Two control and obese groups

M_1 Hours after Glucose Challenge in minutes

M_5 Hours after Glucose Challenge in minutes

M_10 Hours after Glucose Challenge in minutes

M_15 Hours after Glucose Challenge in minutes

M_30 Hours after Glucose Challenge in minutes

M_60 Hours after Glucose Challenge in minutes

Source

The data set was reported and by Zerbe (1979)

table6.29	<i>Mandible Measurements</i>
-----------	------------------------------

Description

Table 6.29 contains mandible measurements

Usage

table6.29

Format

A dataframe with 18 rows and 11 columns.

Group There were two groups of subjects. Each subject was measured at three time points y1, y2 & y3 for each of three types of activator treatment

A1_y1 activator 1 subject 1

A1_y2 activator 1 subject 2

A1_y3 activator 1 subject 3

A2_y1 activator 2 subject 1

A2_y2 activator 2 subject 2

A2_y3 activator 2 subject 3

A3_y1 activator 3 subject 1

A3_y2 activator 3 subject 2

A3_y3 activator 3 subject 3

Source

The data set was reported and by Timm (1980)

table6.6	<i>Table 6.6 Table 6.6 Two-Way Classification of Measurements on Bar Ste</i>
----------	--

Description

Table 6.6 Table 6.6 Two-Way Classification of Measurements on Bar Ste

Usage

table6.6

Format

A dataframe with 16 rows and 5 columns

Lubricant four types

A1_y1 y1 ultimate torque

A1_y2 y2 ultimate strain

A2_y1 y1 ultimate torque

A2_y2 y2 ultimate strain

Source

Table 6.6 contains data reported by Posten (1962) and analyzed by Kramer and Jensen (1970)

table6.8	<i>Table 6.8 Table 6.8 Weight of Guinea Pigs Under 3 Levels of Vitamin E Supplements</i>
----------	--

Description

Table 6.8 Table 6.8 Weight of Guinea Pigs Under 3 Levels of Vitamin E Supplements

Usage

table6.8

Format

A dataframe with 15 rows and 9 columns

Group variable 1

Animal variable 1

Week_1 variable 1

Week_2 variable 1

Week_3 variable 1

Week_4 variable 1

Week_5 variable 1

Week_6 variable 1

Week_7 variable 1

Source

Three vitamin E diet supplements with levels zero, low, and high were compared for their effect on growth of guinea pigs (Crowder and Hand 1990, pp. 21-29). Five guinea pigs received each supplement level, and their weights were recorded at the end of weeks 1, 3, 4, 5, 6, and 7. These weights are given in Table 6.8

table7.1	<i>Seishu Measurements</i>
----------	----------------------------

Description

Table 7.1 Seishu Measurements

Usage

table7.1

Format

A dataframe with 30 rows and 10 columns.

y1 taste

y2 odor

x1 PH

x2 acidity 1

x3 acidity 2

x4 sake meter

x5 direct reducing sugar

x6 total sugar

x7 alcohol

x8 formyl-nitrogen

Source

The data set was reported and by Siotani et al. (1963)

table7.2

Table 7.2 Temperati, Humidity, and Evaporation

Description

The data in Table 7.2 relate temperature, humidity, and evaporation

Usage

table7.2

Format

A dataframe with 46 rows and 11 columns.

y1 maximum daily air temperature

y2 minimum daily air temperature

y3 integrated area under daily air temperature curve, that is, a measure of average air temperature

y4 maximum daily soil temperature

y5 minimum daily soil temperature

y6 integrated area under soil temperature curve

y7 maximum daily relative humidity

y8 minimum daily relative humidity

y9 integrated area under daily humidity curve

y10 total wind, measured in miles per day

y11 evaporation

Source

courtesy of R. J. Freund

table8.1

*Table 8.1***Description**

Samples of steel produced at two different rolling temperatures are compared in Table 8.1

Usage

table8.1

Format

A dataframe with 12 rows and 3 columns.

Temperatures maximum daily air temperature

y1 yield point

y2 ultimate strength

Source

Kramer and Jensen (1969)

table8.3

*Table 8.3 Head Measurements for Three Groups***Description**

The data in Table 8.3 as part of a preliminary study of a possible link between football helmet design and neck injuries.

Usage

table8.3

Format

A dataframe with 90 rows and 7 columns.

Group high school football players (group 1), college football players (group 2), and nonfootball players (group 3)

WDIM head width at widest dimension

CIRCUM head circumference

FBEYE front-to-back measurement at eye level

EYEHD eye-to-top-of-head measurement

EARHD ear-to-top-of-head measurement

JAW jaw width

Source

The data in Table 8.3 were collected by G. R. Bryce and R. M. Barker(Brigham Young University)

Index

* datasets

table10.1, 3
table13.1, 3
table15.1, 4
table15.13, 5
table15.14, 5
table15.7, 6
table16.1, 7
table16.13, 7
table16.16, 8
table16.17, 9
table16.19, 10
table16.8, 10
table3.1, 11
table3.2, 12
table3.4, 12
table3.5, 13
table3.6, 13
table3.7, 14
table3.8, 15
table4.2, 16
table5.1, 16
table5.10, 17
table5.3, 17
table5.5, 18
table5.6, 19
table5.7, 20
table5.8, 20
table5.9, 21
table6.16, 22
table6.17, 22
table6.18, 23
table6.19, 24
table6.21, 24
table6.22, 25
table6.23, 26
table6.24, 26
table6.25, 27
table6.26, 28

table6.27, 29
table6.28, 29
table6.29, 30
table6.6, 31
table6.8, 31
table7.1, 32
table7.2, 33
table8.1, 34
table8.3, 34

table10.1, 3
table13.1, 3
table15.1, 4
table15.13, 5
table15.14, 5
table15.7, 6
table16.1, 7
table16.13, 7
table16.16, 8
table16.17, 9
table16.19, 10
table16.8, 10
table3.1, 11
table3.2, 12
table3.4, 12
table3.5, 13
table3.6, 13
table3.7, 14
table3.8, 15
table3.9, 15
table4.2, 16
table5.1, 16
table5.10, 17
table5.3, 17
table5.5, 18
table5.6, 19
table5.7, 20
table5.8, 20
table5.9, 21
table6.16, 22

table6.17, 22
table6.18, 23
table6.19, 24
table6.21, 24
table6.22, 25
table6.23, 26
table6.24, 26
table6.25, 27
table6.26, 28
table6.27, 29
table6.28, 29
table6.29, 30
table6.6, 31
table6.8, 31
table7.1, 32
table7.2, 33
table8.1, 34
table8.3, 34